

# SAFETY DATA SHEET

## Silver Sparkle Solid

Page: 1 of 6

Revision: 01/10/2015

Distributor: International Market Brands 21500 Alexander Road, Cleveland, OH 44146 (440)439-0600

### 1. Product and Company Identification

**Product Code:** 4279  
**Product Name:** Silver Sparkle Solid  
**Company Name:** PDQ Manufacturing, Inc. **Phone Number:**  
201 Victory Circle (706)636-1848  
Ellijay, GA 30540  
**Web site address:** www.pdqonline.com  
**Emergency Contact:** Chemtrec, Use Company Code: A814 (800)424-9300  
**Information:** info@pdqonline.com (706)636-1848

### 2. Hazards Identification

**Serious Eye Damage/Eye Irritation, Category 2A**

**Acute Toxicity: Oral, Category 5**



**GHS Signal Word:** Warning

**GHS Hazard Phrases:** H319 - Causes serious eye irritation.  
H303 - May be harmful if swallowed.

**GHS Precaution Phrases:** P264 - Wash hands thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advise. Have product container or label with you when calling poison control center or physician.  
P337+313 - If eye irritation persists, get medical advice/attention.  
P312 - Call a POISON CENTER/doctor/... if you feel unwell.

**GHS Storage and Disposal Phrases:** No phrases apply.

**Potential Health Effects (Acute and Chronic):** Adverse reproductive effects have been reported in animals.  
None. Chronic exposure may cause liver damage.

**Inhalation:** No hazard expected in normal industrial use.

**Skin Contact:** Causes skin irritation. Ingestion can cause burning pain in mouth, throat and abdomen - May be fatal if ingested.

**Eye Contact:** Lachrymator (substance which increases the flow of tears). Causes severe eye irritation.

**Ingestion:** No hazard expected in normal industrial use. May cause irritation of the digestive tract. Harmful if swallowed.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}	6.0 -12.0 %
1643-20-5	Dodecyldimethylamine oxide	1.0 -4.0 %

## 4. First Aid Measures

### Emergency and First Aid Procedures:

<b>In Case of Inhalation:</b>	No specific treatment is necessary since this material is not likely to be hazardous by inhalation. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid.
<b>In Case of Skin Contact:</b>	No specific treatment is necessary, since this material is not likely to be hazardous. Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash off with soap and plenty of water. Consult a physician. Take off contaminated clothing and shoes immediately.
<b>In Case of Eye Contact:</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>In Case of Ingestion:</b>	Get medical aid. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
<b>Signs and Symptoms Of Exposure:</b>	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
<b>Note to Physician:</b>	Consult a physician. Show this safety data sheet to the doctor in attendance.

## 5. Fire Fighting Measures

<b>Flash Pt:</b>	NP
<b>Explosive Limits:</b>	LEL: N.A. UEL: N.A.
<b>Autoignition Pt:</b>	NP
<b>Suitable Extinguishing Media:</b>	Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Use water spray, dry chemical, carbon dioxide, or chemical foam.
<b>Fire Fighting Instructions:</b>	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Substance is noncombustible. Wear self contained breathing apparatus for fire fighting if necessary.
<b>Flammable Properties and Hazards:</b>	CONDITIONS OF FLAMMABILITY: Not flammable or combustible.

## 6. Accidental Release Measures

<b>Steps To Be Taken In Case Material Is Released Or Spilled:</b>	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Do not let this chemical enter the environment. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Environmental precautions. Do not let product enter drains. Methods for cleaning up. Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal. Evacuate personnel to safe areas. Sweep up and shovel.
---	---

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** No special handling procedures are required. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use with adequate ventilation. Do not ingest or inhale.

**Precautions To Be Taken in Storing:** No special storage requirements. Store in a cool, dry place. Store in a tightly closed container. Keep away from acids.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}			
1643-20-5	Dodecyltrimethylamine oxide			

**Respiratory Equipment (Specify Type):** A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Safety glasses.

**Protective Gloves:** Protective garments not normally required.

**Other Protective Clothing:** Protective garments not normally required.

**Engineering Controls (Ventilation etc.):** There are no special ventilation requirements.

**Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ ] Liquid [ X ] Solid

**Appearance and Odor:** Green solid block.  
Methyl salicylate.

**Melting Point:** NP

**Boiling Point:** NP

**Decomposition Temperature:** NP

**Autoignition Pt:** NP

**Flash Pt:** NP

**Explosive Limits:** LEL: N.A. UEL: N.A.

**Specific Gravity (Water = 1):** NP

**Density:** 60.0 - 62.9 LB/CF

**Vapor Pressure (vs. Air or mm Hg):** NP

**Vapor Density (vs. Air = 1):** NP

**Evaporation Rate:** NP

**Solubility in Water:** 100%

**Saturated Vapor Concentration:** NP

**Viscosity:** NP

**pH:** 10.16 - 10.66

**Percent Volatile:** < 1.0 % by weight.

**VOC / Volume:** 0.0000 G/L

## 10. Stability and Reactivity

<b>Stability:</b>	Unstable [ ] Stable [ X ]
<b>Conditions To Avoid - Instability:</b>	Incompatible materials, Exposure to moist air or water, Excess heat.
<b>Incompatibility - Materials To Avoid:</b>	Strong acids. Acids, Metals. fluorine, Hydrogen peroxide, phosphorus pentoxide, 6-trinitrotoluene. Incompatible with alkalies, sol carbonates, gold and silver salts, lead acetate, lime water, potassium iodide, potassium and sodium tartrate, sodium borate, tannin, vegetable astringent infusions and decoctions. chemically active metals, Strong oxidizing agents.
<b>Hazardous Decomposition Or Byproducts:</b>	Carbon monoxide, oxides of phosphorus, Carbon dioxide, formed under fire conditions. Sodium oxides, silicon oxides. oxides of sulfur, Carbon oxides, nitrogen oxides (NOx).
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ] Will not occur [ X ]
<b>Conditions To Avoid - Hazardous Reactions:</b>	No data available.

## 11. Toxicological Information

<b>Toxicological Information:</b>	Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: No information found. Teratogenicity: No information available. Teratogenicity: Teratogenic effects have occurred in experimental animals. Acute demal toxicity: LD50 rabbit Dose > 2,000 mg/kg  Skin irritation: Rabbit Non irritant  Eye irritation: Rabbit minimal irritant.
<b>Irritation or Corrosion:</b>	No data available. Skin - rabbit - Severe skin irritation. Serious eye damage/eye irritation: Eyes - rabbit - Severe eye irritation.
<b>Sensitization:</b>	No data available.
<b>Chronic Toxicological Effects:</b>	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<b>Carcinogenicity/Other Information:</b>	CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7758-29-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 497-19-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25155-30-0: Not listed by ACGIH, IARC, NTP, or CA

Prop 65. Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}	n.a.	n.a.	n.a.	n.a.
1643-20-5	Dodecyltrimethylamine oxide	n.a.	n.a.	n.a.	n.a.

## 12. Ecological Information

**General Ecological Information:**

Environmental: Not regulated under U.S. Department of Transportation regulations (29 CFR)

Physical: No information available.

Other: Do not empty into drains. Aquatic: Water temperature affects biodegradation. The rate of sodium-C12 linear alkylbenzene sulfonic acids biodegradation in Chesapeake Bay water was max at 25-30 deg C and decreased at lower incubation temperatures.

Terrestrial: The adsorption of sodium-C12 linear alkylbenzene sulfonic acids is affected by the type of soil. The affinity of the soil for surfactants competes with microbial attack, slowing biodegradation. (HSDB)

**Persistence and Degradability:**

No data available.

**Bioaccumulative Potential:**

No data available.

**Mobility in Soil:**

No data available.

## 13. Disposal Considerations

**Waste Disposal Method:**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed. Product.

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging.

Dispose of as unused product. Offer surplus and non-recyclable solutions to a licensed disposal company.

## 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Not regulated as a hazardous material.

**DOT Hazard Class:**

**UN/NA Number:**

## 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}	No	Yes 1000 LB	No
1643-20-5	Dodecyldimethylamine oxide	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25155-30-0	Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
1643-20-5	Dodecyldimethylamine oxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

## 16. Other Information

**Revision Date:** 01/10/2015  
**Preparer Name:** Regulatory Affairs

**Hazard Rating System:**

<b>HEALTH</b>	<input type="checkbox"/>	<b>0</b>
<b>FLAMMABILITY</b>	<input type="checkbox"/>	<b>0</b>
<b>PHYSICAL</b>	<input type="checkbox"/>	<b>0</b>
<b>PPE</b>		<b>A</b>

**HMIS:**

**Additional Information About This Product:**

**Company Policy or Disclaimer:**

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.