

# SAFETY DATA SHEET

## Liquid Fabric Softener

Distributor: International Market Brands 21500 Alexander Road, Cleveland, OH 44146 (440)439-0600

### 1. Product and Company Identification

**Product Code:** 4319  
**Product Name:** Liquid Fabric Softener  
**Company Name:** PDQ Manufacturing, Inc. **Phone Number:**  
201 Victory Circle (706)636-1848  
Ellijay, GA 30540  
**Web site address:** www.pdqonline.com  
**Emergency Contact:** Chemtrec, Use Company Code: A814 (800)424-9300  
**Information:** info@pdqonline.com (706)636-1848

### 2. Hazards Identification

Flammable Liquids, Category 3

Serious Eye Damage/Eye Irritation, Category 2A

Specific Target Organ Toxicity (single exposure), Category 3



**GHS Signal Word:** Warning

**GHS Hazard Phrases:** H226 - Flammable liquid and vapor.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.

**GHS Precaution Phrases:** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 - Keep container tightly closed.  
P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advise. Have product container or label with you when calling poison control center or physician.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P337+313 - If eye irritation persists, get medical advice/attention.

**GHS Storage and Disposal Phrases:** P403+235 - Store in cool/well-ventilated place.  
P405 - Store locked up.  
P501 - Unused product is not a RCRA Hazardous waste. However, contaminated product and wastes may be RCRA hazardous. Users are advised to determine the appropriate disposal method based on local, state and federal regulations and comply with those regulations.

# SAFETY DATA SHEET

## Liquid Fabric Softener

**Potential Health Effects (Acute and Chronic):** Hazards not otherwise classified (HNOC) or not covered by GHS.  
Chronic: None.

**Inhalation:** No hazard expected in normal industrial use.

**Skin Contact:** Non-irritating to the skin.

**Eye Contact:** Non-irritating to the eyes.

**Ingestion:** No hazard expected in normal industrial use.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	5.0 -15.0 %
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	1.0 -2.0 %

### 4. First Aid Measures

**Emergency and First Aid Procedures:** Consult a physician. Show this safety data sheet to the doctor in attendance.

**In Case of Inhalation:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation.

**In Case of Skin Contact:** Wash off with soap and plenty of water. No specific treatment is necessary, since this material is not likely to be hazardous.

**In Case of Eye Contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**Signs and Symptoms Of Exposure:** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**Note to Physician:** None known.

### 5. Fire Fighting Measures

**Flash Pt:**

**Explosive Limits:** LEL: UEL:

**Autoignition Pt:**

**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Not available.

**Fire Fighting Instructions:** Wear self contained breathing apparatus for fire fighting if necessary. Further information. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.

**Flammable Properties and Hazards:** Carbon oxides.

## 6. Accidental Release Measures

**Protective Precautions, Protective Equipment and Emergency Procedures:** Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. For personal protection see section 8.

**Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Steps To Be Taken In Case Material Is Released Or Spilled:** Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Use proper personal protective equipment as indicated in Section 8.  
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. No special handling procedures are required.

**Precautions To Be Taken in Storing:** Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and store under inert gas. Hygroscopic. No special storage requirements.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy			
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	

**Respiratory Equipment (Specify Type):** Respirator protection is not normally required.

**Eye Protection:** Safety glasses.

**Protective Gloves:**

**Other Protective Clothing:** Protective garments not normally required.

**Engineering Controls (Ventilation etc.):** There are no special ventilation requirements.

**Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Environmental Exposure Controls:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Opaque blue liquid  
Fragrant odor.

**Melting Point:**

**Boiling Point:**

**Autoignition Pt:**

**Flash Pt:**

**Explosive Limits:** LEL: UEL:

**Specific Gravity (Water = 1):** ~ 1.0

**Vapor Pressure (vs. Air or mm Hg):**

**Vapor Density (vs. Air = 1):**

**Evaporation Rate:**

**Solubility in Water:** Complete

**Viscosity:** Thin

**pH:** 4-6 @ 1%

**Percent Volatile:**

## 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]

**Conditions To Avoid - Instability:** Heat, flames and sparks. Extremes of temperature and direct sunlight.

**Incompatibility - Materials To Avoid:** Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids. None.

**Hazardous Decomposition Or Byproducts:** Other decomposition products: No data available. In the event of fire: see section 5.  
None.

**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]

**Conditions To Avoid - Hazardous Reactions:** Vapors may form explosive mixture with air.

## 11. Toxicological Information

**Toxicological Information:** Germ cell mutagenicity. No data available.  
Reproductive toxicity. Aspiration hazard: Epidemiology: Teratogenicity: No data available.  
Reproductive Effects: Neurotoxicity: Other Studies:

**Irritation or Corrosion:** Skin corrosion/irritation. Provide adequate ventilation.  
Result: Mild eye irritation Serious eye damage/eye irritation Eyes -rabbit. Serious eye damage/eye irritation: Eyes - rabbit -  
Result: Eye irritation - 24 h.

**Sensitization:** No data available.

**Chronic Toxicological Effects:** Specific target organ toxicity - single exposure: Inhalation. Oral. May cause drowsiness or dizziness.  
Specific target organ toxicity - repeated exposure: No data available.

**Carcinogenicity/Other Information:** This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 -Group 3: Not classifiable as to its carcinogenicity to humans. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

# SAFETY DATA SHEET

## Liquid Fabric Softener

carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	n.a.	n.a.	n.a.	n.a.
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	n.a.	3	A4	n.a.

## 12. Ecological Information

**Results of PBT and vPvB assessment:** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

## 13. Disposal Considerations

**Waste Disposal Method:** Product.  
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.  
Contaminated packaging. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
RCRA P-Series: None listed.  
RCRA U-Series: None listed.

## 14. Transport Information

### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated as a hazardous material.

**DOT Hazard Class:**

**UN/NA Number:**

## 15. Regulatory Information

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	No	No	No
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	No	No	Yes

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
68410-69-5	Poly(oxy-1,2-ethanediyl), .alpha.-[2-[Bis(2-aminoethyl)methy	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No

## 16. Other Information

**Revision Date:** 02/09/2015  
**Preparer Name:** Regulatory Affairs

**Hazard Rating System:**

HEALTH		1
FLAMMABILITY		0
REACTIVITY		0
PPE		A

**HMIS:**

**Additional Information About  
This Product:**

**Company Policy or  
Disclaimer:**

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.