

Orang Away

Revision: 02/03/2015

Distributor: International Market Brands 21500 Alexander Road, Cleveland, OH 44146 (440)439-0600

1. Product and Company Identification

Product Code:	4622	
Product Name:	Orang Away	
Company Name:	PDQ Manufacturing, Inc. 201 Victory Circle Ellijay, GA 30540	Phone Number: (706)636-1848
Web site address:	www.pdqonline.com	
Emergency Contact:	Chemtrec, Use Company Code: A814	(800)424-9300
Information:	info@pdqonline.com	(706)636-1848

2. Hazards Identification

Acute Toxicity: Oral, Category 4
 Acute Toxicity: Skin, Category 4
 Skin Corrosion/Irritation, Category 2
 Serious Eye Damage/Eye Irritation, Category 2A
 Acute Toxicity: Inhalation, Category 4



GHS Signal Word:	Warning
GHS Hazard Phrases:	H302 - Harmful if swallowed. H312 - Harmful in contact with skin. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H332 - Harmful if inhaled.
GHS Precaution Phrases:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
GHS Response Phrases:	P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P302+352 - IF ON SKIN: Wash with plenty of soap and water. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advise. Have product container or label with you when calling poison control center or physician. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P321 - Specific treatment see product label. P322 - Specific measures see product label. P330 - Rinse mouth. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use. P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposal Phrases:	P501 - Unused product is not a RCRA Hazardous waste. However, contaminated product and wastes may be RCRA hazardous. Users are advised to determine the appropriate disposal method based on local, state and federal regulations and comply

with those regulations.

**Potential Health Effects
(Acute and Chronic):**

Chronic inhalation may cause effects similar to those of acute inhalation.

May cause liver and kidney damage. Sophisticated modeling has clearly proven that 2-butoxyethanol does not build up in the body under any kinds of normal use. Effects may be delayed.

Inhalation:

Harmful if inhaled. May cause lung damage. May cause anemia. May cause central nervous system effects such as nausea and headache. Causes respiratory tract irritation.

Skin Contact:

Causes skin irritation. Harmful if absorbed through the skin. Causes symptoms similar to those of inhalation. Skin sensitization testing with human volunteers produced negative results. A skin notation is not recommended by ACGIH, based on estimates from physiologically based pharmacokinetic models which indicate that, even in worst-case dermal-exposure scenarios, 2-butoxyethanol is not absorbed in amounts sufficient to cause red blood cell hemolysis in humans.

Eye Contact:

Causes eye irritation. Causes redness and pain. May cause transient corneal injury.

Ingestion:

Harmful if swallowed. May cause irritation of the digestive tract. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	< 5.0 %
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	< 5.0 %

4. First Aid Measures

**Emergency and First Aid
Procedures:**

In Case of Inhalation:

Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

In Case of Skin Contact:

Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes.

In Case of Eye Contact:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed.

In Case of Ingestion:

Get medical aid immediately. Call a poison control center. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person.

Note to Physician:

None known.

5. Fire Fighting Measures

Flash Pt:

Explosive Limits: LEL: UEL:

Autoignition Pt:

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam. Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Not available.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Will burn if involved in a fire. Combustible liquid and vapor. Material will not burn.

Flammable Properties and Hazards:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Use a spark-proof tool. Do not let this chemical enter the environment. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation.

7. Handling and Storage

Precautions To Be Taken in Handling: Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Wash thoroughly after handling. Keep container tightly closed. Use with adequate ventilation.

Precautions To Be Taken in Storing: Store in a cool, dry, well-ventilated area away from incompatible substances. No special storage requirements.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-76-2	Ethanol, 2-Butoxy- (Ethylene glycol n-butyl ether, Glycol Ether EB)	PEL: 50 ppm	TLV: 20 ppm	
10101-89-0	Sodium phosphate, Tribasic dodecahydrate			

Respiratory Equipment (Specify Type): A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Respirator protection is not normally required.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Eye protection is not normally required.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Protective garments not normally required.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure. Protective garments not normally required.

Engineering Controls (Ventilation etc.): There are no special ventilation requirements.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear amber liquid
Fragrant/ solvent odor.

Melting Point:

Boiling Point:

Autoignition Pt:

Flash Pt:

Explosive Limits: LEL: UEL:

Specific Gravity (Water = 1): ~ 1.0

Vapor Pressure (vs. Air or mm Hg):

Vapor Density (vs. Air = 1):

Evaporation Rate:

Solubility in Water: Complete

Viscosity: Thin

pH: ~ 11

Percent Volatile:

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: Incompatible materials.

Incompatibility - Materials To Avoid: Strong acids.

Hazardous Decomposition Or Byproducts: Carbon monoxide, oxides of phosphorus, sodium oxide. None.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions:

11. Toxicological Information

Toxicological Information: Epidemiology: No information found.
Teratogenicity: No information available. Reproductive Effects: Mutagenicity:
Neurotoxicity: No data available.
Other Studies:

Carcinogenicity/Other Information: CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans.
California: Not listed.
NTP: Not listed.
IARC: Not listed. CAS# 10101-89-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.
CAS# 7601-54-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

SAFETY DATA SHEET

Orang Away

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	n.a.	3	A3	n.a.
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

Environmental: TERRESTRIAL FATE: Based on a recommended classification scheme, an estimated Koc value of 67,, determined from an experimental log Kow and a recommended regression-derived equation, indicates that ethylene glycol mono-n-butyl ether is expected to have high mobility in soil. An estimated BCF value of 2.5 was calculated for ethylene glycol mono-n-butyl ether, using an experimental log Kow of 0.83 and a recommended regression-derived equation. According to a recommended classification scheme, this BCF value suggests that bioconcentration in aquatic organisms is low.

Physical: No information found.

Other: An estimated BCF value of 2.5,, from an experimental log Kow, suggests that ethylene glycol mono-n-butyl ether bioconcentration in aquatic organisms will be low, according to a recommended classification scheme. Phosphates promote the eutrophication of lakes and other bodies of water.

Physical: No information available.

Other: No information available.

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: NA None

UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	No	No	Yes-Cat. N230
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	No	Yes 5000 LB	No

Other US EPA or State Lists

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No

16. Other Information

Revision Date: 02/03/2015
Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH		1
FLAMMABILITY		0
REACTIVITY		0
PPE		A

HMIS:

**Additional Information About
This Product:**

**Company Policy or
Disclaimer:**

The information contained in this Material Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.